




**Serie**




**L**




**T2L**




**Serie**




**SR**




**T2SR**




**Serie**




**R**




**Serie**



**T2R**



Serie - Series - Serie		L	SR	R	T2L	T2SR	T2R	T3R	
<b>Límite de empleo.</b> Operational limit. Limite d'emploi.	n max. motor max.	rpm kW	1200 3	1300 4	1400 5	1100 4	1200 5	1300 6	1100 8
<b>Velocidad tangencial.</b> Tip speed. Vitesse tangentielle.	u	m/s	n (min <sup>-1</sup> ) x 0.0203						
<b>Momento de inercia.</b> Moment of inertia. Moment d'inertie.	PD <sup>2</sup> /4	Kg m <sup>2</sup>	0.23	0.23	0.23	0.46	0.46	0.46	0.69
<b>Peso del ventilador.</b> Fan weight. Poids du ventilateur.		Kg	20.5	23.5	24.5	44.5	45	61	95
<b>Coefficientes de corrección.</b> Correction factors. Coefficients de correction.	V P <sub>A</sub> n	m <sup>3</sup> /h kW min <sup>-1</sup>	x 1 x 1 x 1	x 1 x 1 x 1	x 1 x 1 x 1	x 2 x 2.15 x 1.05	x 2 x 2.15 x 1.05	x 2 x 2.15 x 1.05	x 3 x 3.25 x 1.08



pd (mm H<sub>2</sub>O)